

## References: Mind Over Matter

Alberto Arribas-Romano, Josué Fernández-Carnero, Francisco Molina-Rueda, Santiago Angulo-Díaz-Parreño, Marcos José Navarro-Santana, Efficacy of Physical Therapy on Nociceptive Pain Processing Alterations in Patients with Chronic Musculoskeletal Pain: A Systematic Review and Meta-analysis, *Pain Medicine*, Volume 21, Issue 10, October 2020, Pages 2502–2517

Woolf, C. J. (2011). Central sensitization: implications for the diagnosis and treatment of pain. *Pain*, 152(3), S2-S15.

Louw A, Sluka KA, Nijs J, Courtney CA, Zimney K. Revisiting the Provision of Pain Neuroscience Education: An Adjunct Intervention for Patients but a Primary Focus of Clinician Education. *J Orthop Sports Phys Ther*. 2021 Feb;51(2):57-59. doi: 10.2519/jospt.2021.9804. Epub 2020 Oct 19. PMID: 33076759.

Nijs, J., Van Houdenhove, B., & Oostendorp, R. A. B. (2010). Recognition of central sensitization in patients with musculoskeletal pain: Application of pain neurophysiology in manual therapy practice. *Manual Therapy*, 15(2), 135–141. doi:10.1016/j.math.2009.12.001

Horga, L. M., Hirschmann, A. C., Henckel, J., Fotiadou, A., Di Laura, A., Torlasco, C., D'Silva, A., Sharma, S., Moon, J. C., & Hart, A. J. (2020). Prevalence of abnormal findings in 230 knees of asymptomatic adults using 3.0 T MRI. *Skeletal radiology*, 49(7), 1099–1107. <https://doi.org/10.1007/s00256-020-03394-z>

Girish, G., Lobo, L. G., Jacobson, J. A., Morag, Y., Miller, B., & Jamadar, D. A. (2011). Ultrasound of the shoulder: asymptomatic findings in men. *AJR. American journal of roentgenology*, 197(4), W713–W719. <https://doi.org/10.2214/AJR.11.6971>

Barreto, R. P. G., Braman, J. P., Ludewig, P. M., Ribeiro, L. P., & Camargo, P. R. (2019). Bilateral magnetic resonance imaging findings in individuals with unilateral shoulder pain. *Journal of shoulder and elbow surgery*, 28(9), 1699–1706.

Nakashima, H., Yukawa, Y., Suda, K., Yamagata, M., Ueta, T., & Kato, F. (2015). Abnormal findings on magnetic resonance images of the cervical spines in 1211 asymptomatic subjects. *Spine*, 40(6), 392–398. <https://doi.org/10.1097/BRS.0000000000000775>

Smith SS, Stewart ME, Davies BM, Kotter MRN. The Prevalence of Asymptomatic and Symptomatic Spinal Cord Compression on Magnetic Resonance Imaging: A Systematic Review and Meta-analysis. *Global Spine Journal*. 2021;11(4):597-607.

Kuhn, J. E., Dunn, W. R., Sanders, R., An, Q., Baumgarten, K. M., Bishop, J. Y., Brophy, R. H., Carey, J. L., Holloway, B. G., Jones, G. L., Ma, C. B., Marx, R. G.,

McCarty, E. C., Poddar, S. K., Smith, M. V., Spencer, E. E., Vidal, A. F., Wolf, B. R., Wright, R. W., & MOON Shoulder Group (2013). Effectiveness of physical therapy in treating atraumatic full-thickness rotator cuff tears: a multicenter prospective cohort study. *Journal of shoulder and elbow surgery*, 22(10), 1371–1379.

Paavola, M., Malmivaara, A., Taimela, S., Kanto, K., Inkinen, J., Kalske, J., Sinisaari, I., Savolainen, V., Ranstam, J., Järvinen, T. L. N., & Finnish Subacromial Impingement Arthroscopy Controlled Trial (FIMPACT) Investigators (2018). Subacromial decompression versus diagnostic arthroscopy for shoulder impingement: randomised, placebo surgery controlled clinical trial. *BMJ (Clinical research ed.)*, 362, k2860.

Schrøder, C. P., Skare, Ø., Reikerås, O., Mowinckel, P., & Brox, J. I. (2017). Sham surgery versus labral repair or biceps tenodesis for type II SLAP lesions of the shoulder: a three-armed randomised clinical trial. *British journal of sports medicine*, 51(24), 1759–1766.

Pennock, A. T., Dwek, J., Levy, E., Stearns, P., Manning, J., Dennis, M. M., Davis-Juarez, A., Bastrom, T., & Taylor, K. S. (2018). Shoulder MRI Abnormalities in Asymptomatic Little League Baseball Players. *Orthopaedic journal of sports medicine*, 6(2), 2325967118756825.

Louw, A., Sluka, K. A., Nijs, J., Courtney, C. A., & Zimney, K. (2021). Revisiting the Provision of Pain Neuroscience Education: An Adjunct Intervention for Patients but a Primary Focus of Clinician Education. *The Journal of orthopaedic and sports physical therapy*, 51(2), 57–59. <https://doi.org/10.2519/jospt.2021.9804>

Tait, M. J., Levy, J., Nowell, M., Pocock, C., Petrik, V., Bell, B. A., & Papadopoulos, M. C. (2009). Improved outcome after lumbar microdiscectomy in patients shown their excised disc fragments: a prospective, double blind, randomised, controlled trial. *Journal of neurology, neurosurgery, and psychiatry*, 80(9), 1044–1046. <https://doi.org/10.1136/jnnp.2008.156356>

Park, G., Kim, C. W., Park, S. B., Kim, M. J., & Jang, S. H. (2011). Reliability and usefulness of the pressure pain threshold measurement in patients with myofascial pain. *Annals of rehabilitation medicine*, 35(3), 412–417.

Firanescu C E, de Vries J, Lodder P, Venmans A, Schoemaker M C, Smeets A J et

al. Vertebroplasty versus sham procedure for painful acute osteoporotic vertebral compression fractures (VERTOS IV): randomised sham controlled clinical trial  
BMJ 2018; 361 :k1551

Noorduyn, J. C. A., van de Graaf, V. A., Willigenburg, N. W., Scholten-Peeters, G. G. M., Kret, E. J., van Dijk, R. A., Buchbinder, R., Hawker, G. A., Coppieters, M. W., Poolman, R. W., & ESCAPE Research Group (2022). Effect of Physical Therapy vs Arthroscopic Partial Meniscectomy in People With Degenerative Meniscal Tears: Five-Year Follow-up of the ESCAPE Randomized Clinical Trial. *JAMA network open*, 5(7), e2220394.

Woolf, C. J. (2011). Central sensitization: implications for the diagnosis and treatment of pain. *Pain*, 152(3), S2-S15.

Explain Pain, Butler and Moseley, 2012

Pain Neuroscience Education. Louw et al. 2018