



Energy System Modelling Using OSeMOSYS

Hands-on 4

Please use the following citation for:

- **This exercise**

Plazas-Niño, F., Alexander, K. (2025, February). Hands-on 4: Energy System Modelling Using OSeMOSYS (Version 1.0.). Climate Compatible Growth. DOI: 10.5281/zenodo.14868718

- **OSeMOSYS UI software**

Climate Compatible Growth. (2024). MUIO (Version v5.0.0). GitHub.

<https://github.com/OSeMOSYS/MUIO/releases>

- **OSeMOSYS forum**

Please sign up to the help forum [here](#). If you are stuck, please ask questions here. If you get ahead, please answer questions in the same forum. Please state that you are using the MUIO Interface.

Learning outcomes

By the end of this exercise, you will be able to:


- 1) Define technologies representing the domestic production of energy commodities
- 2) Define technologies representing the import of energy commodities

NOTE: We will not run the model at the end of this exercise.

Define technologies representing the primary energy supply

In Lecture 5 we learnt how to represent a technology in OSeMOSYS, and which parameters characterize the primary energy supply technologies. As said, these technologies can represent domestic production/extraction or importation of fuels such as coal, natural gas, crude oil, and oil products. In this Hands-on, we will start to create our country case adding 2 technologies: one for the import of diesel and one for the domestic production of natural gas. We will build the highlighted part of the RES below.

Note: Update your RES by adding these new components in diagrams.net, as studied in Hands-on 3.



In order to represent a primary supply technology, remember that the following **parameters** must be considered:

- **OutputActivityRatio:** defines the fuel provided (in this case natural gas).
- **Capital cost:** defines a virtual cost for building infrastructure to supply the fuel.
- **Variable cost:** defines the cost of production per unit of fuel.



- **Operational life:** defines a default lifetime for infrastructure dedicated to supply the fuel.
- **TotalTechnologyModelPeriodActivityUpperLimit:** defines the level of proven fuel reserves that are available for extraction throughout the entire model period (we will express it in PJ).
- **TotalTechnologyAnnualActivityUpperLimit:** defines the maximum annual rate of production of fuel.

Define technologies representing the domestic production of energy commodities

Try it: Let's add **MINNGS** - the technology representing the domestic extraction of natural gas.

1. Before you do this. Follow the same process as before and copy your model from hands-on 3. Then rename it (i.e., OSeHO4). This is so that if there are any errors, you can go back to your old working model if necessary.
2. Now go to the model configuration page. Firstly, add a *commodity* called '**NGS**' (natural gas).
3. Then add a *technology* called '**MINNGS**'. From this you need the **output** of MINNGS to be NGS, but there is no input (the same as when you added MINBACK). The units of capacity and activity are PJ.
4. Now you have added the technology and commodity. You need to add the relevant data. **REMEMBER TO UPDATE YOUR MODEL.**
5. Add the data for **MINNGS** according to the [Data Preparation File OSeHO4](#).

You need to add the data for the 6 parameters that were listed previously.

SAVE DATA!!! UPDATE MODEL!!!



Voilà: you now have added one new technology (MINNGS) and one commodity (NGS) to your model.

MUIO 5.0

MUIO ver.5.0 rc

MODELS: Select model

Model configuration create & edit

SELECTED MODEL: OSeH04

Update model Configure new model

Model data Time sets **Commodities 3** Emissions 1 Technology groups 2 Technologies 3 Storage 0 Constraints 0

Scenarios 1

Commodity name	Description	Unit	+ Add commodity
BACK	Virtual fuel	PJ	
ELC003	Electricity after distribution	PJ	Delete
NGS	Natural gas	PJ	Delete

Go to page: 1 Show rows: 10 1-3 of 3

MUIO 5.0

MUIO ver.5.0 rc

MODELS: Select model

Model configuration create & edit

SELECTED MODEL: OSeH04

Update model Configure new model

Model data Time sets Commodities 3 Emissions 1 Technology groups 2 **Technologies 3** Storage 0 Constraints 0

Scenarios 1

Technology	Description	Technolo...	Unit of ca...	Unit of act...	Input Activity R...	Output Activity ...	Input To New C...	Input To Total C...	Emission Activi...	+ Add technol
MINBACK	Virtual mining tech		PJ	PJ		BACK				
BACKSTOP	Virtual power plant		GW	PJ	BACK	ELC003				Delete
MINNGS	Natural gas extr...		PJ	PJ		NGS				Delete

Go to page: 1 Show rows: 10 1-3 of 3



Define technologies representing the import of energy commodities

We will repeat the exercise once more giving the case of a technology which represents the **import of diesel (IMPDSL)**. When representing an Import technology, the following parameters must be considered:

- **OutputActivityRatio:** defines the fuel provided (diesel in this case).
- **Capital cost:** defines a virtual cost for building infrastructure to import the fuel.
- **VariableCost:** defines the cost of importing the fuel.
- **Operational life:** defines a default lifetime for infrastructure dedicated to import the fuel.

Try it: let's add this technology in the model.

1. Go to the model configuration page and add a new technology called '**IMPDSL**'.
2. You should add a new fuel DSL representing diesel, which is the output fuel for IMPDSL.

IMPORTANT: Remember to update your model each time you add data, technologies, or commodities. As well as saving data each time.

3. Add data for **IMPDSL** as presented in the [Data Preparation File OSeHO4](#).
4. Your model config page for commodities and technologies, should now look like the images below (as well as the data all being correct if you have followed the steps correctly).



MUIO 5.0

MUIO ver.5.0 rc

MODELS: Select model

Model configuration create & edit

SELECTED MODEL: OSeHO4

Update model Configure new model

Model data Time sets **Commodities 4** Emissions 1 Technology groups 2 Technologies 4 Storage 0 Constraints 0

Scenarios 1

Commodity name	Description	Unit	+ Add commodity
BACK	Virtual fuel	PJ	
ELC003	Electricity after distribution	PJ	Delete
NGS	Natural gas	PJ	Delete
DSL	Diesel	PJ	Delete

Go to page: 1 Show rows: 10 1-4 of 4

MUIO 5.0

MUIO ver.5.0 rc

MODELS: Select model

Model configuration create & edit

SELECTED MODEL: OSeHO4

Update model Configure new model

Model data Time sets Commodities 4 Emissions 1 Technology groups 2 **Technologies 4** Storage 0 Constraints 0

Scenarios 1

Technology	Description	Technolo...	Unit of ca...	Unit of ac...	Input Activity R...	Output Activity ...	Input To New C...	Input To Total C...	Emission Activi...	+ Add technol
MINBACK	Virtual mining tech		PJ	PJ		BACK				
BACKSTOP	Virtual power plant		GW	PJ	BACK	ELC003				Delete
MINNGS	Natural gas extr...		PJ	PJ		NGS				Delete
IMPDSL	Diesel import		PJ	PJ		DSL				Delete

Go to page: 1 Show rows: 10 1-4 of 4



5. **Finally!** As discussed near the end of hands-on 3, you can add technology groups. *Now as this isn't a necessity, it won't be discussed again after this exercise.* But you could set it up similar to the following:

The screenshot shows the MUIO 5.0 Model configuration interface. The top bar includes the MUIO logo and version (ver.5.0 rc), a "MODEL:" dropdown menu set to "Select model", and window control icons. The main header is "Model configuration create & edit" with a "SELECTED MODEL: OSeHO4" indicator. Below the header are buttons for "Update model" and "Configure new model". A navigation bar contains icons for Model data, Time sets, Commodities (4), Emissions (1), Technology groups (3), Technologies (4), Storage (0), Constraints (0), and Scenarios (1). The "Technology groups" section is active, displaying a table with the following data:

Technology group name	Description	+ Add group
Mining	Primary energy sources	
Power	Power plants	Delete
Imports	Energy imports	Delete

6. You have completed this exercise. **Save and update the model.** Then you can move onto Hands-on 5.